Journal of Applied Ecology 2004
41, 1197–1202

Index

SPECIAL PROFILE: PREDICTION AND SCALE IN APPLIED ECOLOGY

Freckleton, R.P. The problems of prediction and scale in applied ecology: the example of fire as a management tool, 599

Fuhlendorf, S.D. & Engle, D.M. Application of the fire–grazing interaction to restore a shifting mosaic on tallgrass prairie, 604

Gillespie, I.G. & Allen, E.B. Fire and competition in a southern California grassland: impacts on the rare forb *Erodium macrophyllum*, 643

Parr, C.L., Robertson, H.G., Biggs, H.C. & Chown, S.L. Response of African savanna ants to long-term fire regimes, 630

Paynter, Q. & Flanagan, G.J. Integrating herbicide and mechanical control treatments with fire and biological control to manage an invasive wetland shrub, *Mimosa pigra*, 615

SPECIAL PROFILE: MODELLING SPECIES DISTRIBUTIONS

Cabeza, M., Araújo, M.B., Wilson, R.J., Thomas, C.D., Cowley, M.J.R. & Moilanen, A. Combining probabilities of occurrence with spatial reserve design, 252

Engler, R., Guisan, A. & Rechsteiner, L. An improved approach for predicting the distribution of rare and endangered species from occurrence and pseudo-absence data, 263

Frair, J.L., Nielsen, S.E., Merrill, E.H., Lele, S.R., Boyce, M.S., Munro, R.H.M., Stenhouse, G.B. & Beyer, H.L. Removing GPS collar bias in habitat selection studies, 201

Gibson, L.A., Wilson, B.A., Cahill, D.M. & Hill, J. Spatial prediction of rufous bristlebird habitat in a coastal heathland: a GIS-based approach, 213

Jeganathan, P., Green, R.E., Norris, K., Vogiatzakis, I.N., Bartsch, A., Wotton, S.R., Bowden, C.G.R., Griffiths, G.H., Pain, D. & Rahmani, A.R. Modelling habitat selection and distribution of the critically endangered Jerdon's courser *Rhinoptilus bitorquatus* in scrub jungle: an application of a new tracking method, 224

Johnson, C.J., Seip, D.R. & Boyce, M.S. A quantitative approach to conservation planning: using resource selection functions to map the distribution of mountain caribou at multiple spatial scales, 238

Rushton, S.P., Ormerod, S.J. & Kerby, G. New paradigms for modelling species distributions? 193

TWELFTH BES LECTURE

Gray, A.J. Ecology and government policies: the GM crop debate, 1

PRIORITY CONTRIBUTION

Green, R.E., Newton, I., Shultz, S., Cunningham, A.A., Gilbert, M., Pain, D.J. & Prakash, V. Diclofenac poisoning as a cause of vulture population declines across the Indian subcontinent, 793

REVIEWS

Bennett, L.T. & Adams, M.A. Assessment of ecological effects due to forest harvesting: approaches and statistical issues, 585

Gordon, I.J., Hester, A.J. & Festa-Bianchet, M. The management of wild large herbivores to meet economic, conservation and environmental objectives, 1021

Norris, K. Managing threatened species: the ecological toolbox, evolutionary theory and declining-population paradigm, 413

Ticktin, T. The ecological implications of harvesting non-timber forest products, 11

METHODOLOGICAL INSIGHTS

Campbell, D., Swanson, G.M. & Sales, J. Comparing the precision and cost-effectiveness of faecal pellet group count methods, 1185

Elliott, L.J., Mason, D.C., Wilkinson, M.J., Allainguillaume, J., Norris, C., Alexander, M. & Welters, R. The role of satellite image-processing for national-scale estimates of gene flow from genetically modified crops: rapeseed in the UK as a model, 1174

Frantz, A.C., Schaul, M., Pope, L.C., Fack, F., Schley, L., Muller, C.P. & Roper, T.J. Estimating population size by genotyping remotely plucked hair: the Eurasian badger, 985

Hill, J.K. & Hamer, K.C. Determining impacts of habitat modification on diversity of tropical forest fauna: the importance of spatial scale, 744

Hodgson, D.J. & Townley, S. Linking management changes to population dynamic responses: the transfer function of a projection matrix perturbation, 1155

Kennedy, B.P., Klaue, B., Blum, J.D. & Folt, C.L. Integrative measures of consumption rates in salmon: expansion and application of a trace element approach, 1009

Krauss, S.L. & Koch, J.M. Rapid genetic delineation of provenance for plant community restoration, 1162

Lubetkin, S.C. & Simenstad, C.A. Multi-source mixing models to quantify food web sources and pathways, 996

McCarthy, M.A. & Parris, K.M. Clarifying the effect of toe clipping on frogs with Bayesian statistics, 780

Parker, G.G., Harding, D.J. & Berger, M.L. A portable LIDAR system for rapid determination of forest canopy structure, 755

© 2004 British Ecological Society

Webbon, C.C., Baker, P.J. & Harris, S. Faecal density counts for monitoring changes in red fox numbers in rural Britain, 768

STANDARD PAPERS

Adams, M.A. *see* **Bennett, L.T.**
Adler, P.B., Milchunas, D.G., Lauenroth, W.K., Sala, O.E. & Burke, I.C. Functional traits of graminoids in semi-arid steppes: a test of grazing histories, 653
Alard, D. *see* **Decocq, G.**
Alexander, M. *see* **Elliott, L.J.**
Allainguillaume, J. *see* **Elliott, L.J.**
Allchin, E.A. *see* **Terry, A.C.**
Allen, E.B. *see* **Gillespie, I.G.**
Alpers, D.L. *see* **Hampton, J.O.**
Amano, T., Ushiyama, K., Fujita, G. & Higuchi, H. Alleviating grazing damage by white-fronted geese: an optimal foraging approach, 675
Amar, A., Arroyo, B., Redpath, S. & Thirgood, S. Habitat predicts losses of red grouse to individual hen harriers, 305
Anderson, R.C. *see* **Rickey, M.A.**
Araújo, M.B. *see* **Cabeza, M.**
Arlettaz, R. *see* **Hirzel, A.H.**
Arroyo, B. *see* **Amar, A.**
Ashmore, M.R. *see* **Terry, A.C.**
Aubert, M. *see* **Decocq, G.**
Augustine, D.J. & McNaughton, S.J. Regulation of shrub dynamics by native browsing ungulates on East African rangeland, 45
Baines, D., Moss, R. & Dugan, D. Capercaillie breeding success in relation to forest habitat and predator abundance, 59
Baines, D. *see* **Summers, R.W.**
Baker, P.J. *see* **Webbon, C.C.**
Bakker, E.S., Olff, H., Vandenberghe, C., de Maeyer, K., Smit, R., Gleichman, J.M. & Vera, F.W.M. Ecological anachronisms in the recruitment of temperate light-demanding tree species in wooded pastures, 571
Bakker, J.D. & Wilson, S.D. Using ecological restoration to constrain biological invasion, 1058
Bardat, J. *see* **Decocq, G.**
Barnaby, D.L. *see* **Crowe, T.P.**
Barrios, L. & Rodríguez, A. Behavioural and environmental correlates of soaring-bird mortality at on-shore wind turbines, 72
Barritt, D. *see* **Peach, W.J.**
Bartsch, A. *see* **Jeganathan, P.**
Beadman, H.A., Kaiser, M.J., Galanidi, M., Shucksmith, R. & Willows, R.I. Changes in species richness with stocking density of marine bivalves, 464
Beale, C.M. & Monaghan, P. Human disturbance: people as predation-free predators? 335
Bearhop, S. *see* **Votier, S.C.**
Béchet, A., Giroux, J.-F. & Gauthier, G. The effects of disturbance on behaviour, habitat use and energy of spring staging snow geese, 689
Bendell-Young, L.I. *see* **Morrissey, C.A.**
Bennion, H., Fluin, J. & Simpson, G.L. Assessing eutrophication and reference conditions for Scottish freshwater lochs using subfossil diatoms, 124
Berger, M.L. *see* **Parker, G.G.**
Beyer, H.L. *see* **Frair, J.L.**
Biggs, H.C. *see* **Parr, C.L.**
Bilde, T. *see* **Thorbek, P.**
Blum, J.D. *see* **Kennedy, B.P.**
de Blust, G. *see* **Brys, R.**
Blyth, R.E., Kaiser, M.J., Edwards-Jones, G. & Hart, P.J.B. Implications of a zoned fishery management system for marine benthic communities, 951
Bowden, C.G.R. *see* **Jeganathan, P.**
Boyce, M.S. *see* **Frair, J.L.**
Boyce, M.S. *see* **Johnson, C.J.**
Breitenmoser, U. *see* **Kramer-Schadt, S.**
Bro, E., Mayot, P., Corda, E. & Reitz, F. Impact of habitat management on grey partridge populations: assessing wildlife cover using a multisite BACI experiment, 846
Broomhall, S.D. Egg temperature modifies predator avoidance and the effects of the insecticide endosulfan on tadpoles of an Australian frog, 105
Brys, R., Jacquemyn, H., Endels, P., de Blust, G. & Hermy, M. The effects of grassland management on plant performance and demography in the perennial herb *Primula veris*, 1080
Buckley, Y.M., Rees, M., Paynter, Q. & Lonsdale, M. Modelling integrated weed management of an invasive shrub in tropical Australia, 547
Bullock, J.M. *see* **Pywell, R.F.**
Burke, I.C. *see* **Adler, P.B.**
Buttolph, L.P. & Coppock, D.L. Influence of deferred grazing on vegetation dynamics and livestock productivity in an Andean pastoral system, 664

Cahill, D.M. *see* **Gibson, L.A.**
Caley, P. & Hone, J. Disease transmission between and within species, and the implications for disease control, 94
Chauvet, E. *see* **Dangles, O.**
Cheeseman, C.L. *see* **Wilkinson, D.**
Chown, S.L. *see* **Parr, C.L.**
Ciliento, E. *see* **Laiolo, P.**
Collins, T.S. *see* **Morris, R.K.A.**
Coppock, D.L. *see* **Buttolph, L.P.**
Corda, E. *see* **Bro, E.**
Cotton, P.A. *see* **Peach, W.J.**
Coulson, S.J. *see* **Pywell, R.F.**
Cowley, M.J.R. *see* **Cabeza, M.**
Cowling, A. *see* **Fischer, J.**
Cresswell, J.E. & Osborne, J.L. The effect of patch size and separation on bumblebee foraging in oilseed rape: implications for gene flow, 539
Crettenand, Y. *see* **Hirzel, A.H.**
Crone, E.E. *see* **Holl, K.D.**
Crowe, T.P., Smith, E.L., Donkin, P., Barnaby, D.L. & Rowland, S.J. Measurements of sublethal effects

© 2004 British Ecological Society,

on individual organisms indicate community-level impacts of pollution, 114
Cunningham, A.A. *see* **Green, R.E.**

Dahl, J. *see* **Dannewitz, J.**
Dangles, O., Gessner, M.O., Guerold, F. & Chauvet, E. Impacts of stream acidification on litter breakdown: implications for assessing ecosystem functioning, 365
Dannewitz, J., Petersson, E., Dahl, J., Prestegaard, T., Löf, A.-C. & Järvi, T. Reproductive success of hatchery-produced and wild-born brown trout in an experimental stream, 355
Decocq, G., Aubert, M., Dupont, F., Alard, D., Saguez, R., Wattez-Franger, A., de Foucault, B., Delelis-Dusollier, A. & Bardat, J. Plant diversity in a managed temperate deciduous forest: understorey response to two silvicultural systems, 1065
Delahay, R.J. *see* **Wilkinson, D.**
Delelis-Dusollier, A. *see* **Decocq, G.**
Denny, M. *see* **Peach, W.J.**
Díez, A. *see* **Malo, J.E.**
Dondero, F. *see* **Laiolo, P.**
Donkin, P. *see* **Crowe, T.P.**
Doust, J. *see* **Hampton, J.O.**
le Duc, M.G. *see* **Marrs, R.H.**
Duck, C. *see* **Matthiopoulos, J.**
Duffy, M.J. *see* **Morris, R.K.A.**
Dugan, D. *see* **Baines, D.**
Dugan, D. *see* **Summers, R.W.**
Dupont, F. *see* **Decocq, G.**
Edwards-Jones, G. *see* **Blyth, R.E.**
Elliott, J.E. *see* **Morrissey, C.A.**
Endels, P. *see* **Brys, R.**
Engle, D.M. *see* **Fuhlendorf, S.D.**

Fack, F. *see* **Frantz, A.C.**
Fedak, M. *see* **Matthiopoulos, J.**
Ferrer, M. *see* **Sergio, F.**
Festa-Bianchet, M. *see* **Gordon, I.J.**
Fischer, J., Lindenmayer, D.B. & Cowling, A. The challenge of managing multiple species at multiple scales: reptiles in an Australian grazing landscape, 32
Flanagan, G.J. *see* **Paynter, Q.**
Fluin, J. *see* **Bennion, H.**
Folt, C.L. *see* **Kennedy, B.P.**
de Foucault, B. *see* **Decocq, G.**
Fox, A.D. *see* **Frederiksen, M.**
Frederiksen, M., Hearn, R.D., Mitchell, C., Sigfússon, A., Swann, R.L. & Fox, A.D. The dynamics of hunted Icelandic goose populations: a reassessment of the evidence, 315
Frederiksen, M., Wanless, S., Harris, M.P., Rothery, P. & Wilson, L.J. The role of industrial fisheries and oceanographic change in the decline of North Sea black-legged kittiwakes, 1129
Fujita, G. *see* **Amano, T.**
Furness, R.W. *see* **Votier, S.C.**

Galanidi, M. *see* **Beadman, H.A.**
Galatowitsch, S.M. *see* **Perry, L.G.**
Garthe, S. & Hüppop, O. Scaling possible adverse effects of marine wind farms on seabirds: developing and applying a vulnerability index, 724
Gauthier, G. *see* **Béchet, A.**
Gehring, C.A. *see* **Haskins, K.E.**
Gemmell, N.J. *see* **Robertson, B.C.**
Gessner, M.O. *see* **Dangles, O.**
Ghorbani, J. *see* **Marrs, R.H.**
Gibson, D.J. *see* **Gustafson, D.J.**
Green, R.E. *see* **Jeganathan, P.**
Gilbert, M. *see* **Green, R.E.**
Gillingham, M.P. *see* **Johnson, C.J.**
Giroux, J.-F. *see* **Béchet, A.**
Gleichman, J.M. *see* **Bakker, E.S.**
Glenz, C. *see* **Hirzel, A.H.**
Green, R.E. *see* **Summers, R.W.**
Gregory, S.J. *see* **Pywell, R.F.**
Griffiths, G.H. *see* **Jeganathan, P.**
Gruar, D. *see* **Peach, W.J.**
Guerold, F. *see* **Dangles, O.**
Guisan, A. *see* **Engler, R.**
Gustafson, D.J., Gibson, D.J. & Nickrent, D.L. Conservation genetics of two co-dominant grass species in an endangered grassland ecosystem, 389

Hamer, K.C. *see* **Hill, J.K.**
Hampton, J.O., Spencer, P.B.S., Alpers, D.L., Twigg, L.E., Woolnough, A.P., Doust, J., Higgs, T. & Pluske, J. Molecular techniques, wildlife management and the importance of genetic population structure and dispersal: a case study with feral pigs, 735
Harding, D.J. *see* **Parker, G.G.**
Harris, M.P. *see* **Frederiksen, M.**
Harris, S. *see* **Smith, R.K.**
Harris, S. *see* **Webbon, C.C.**
Harrison, S.S.C., Pretty, J.L., Shepherd, D., Hildrew, A.G., Smith, C. & Hey, R.D. The effect of instream rehabilitation structures on macroinvertebrates in lowland rivers, 1140
Hart, P.J.B. *see* **Blyth, R.E.**
Haskins, K.E. & Gehring, C.A. Long-term effects of burning slash on plant communities and arbuscular mycorrhizae in a semi-arid woodland, 379
Hastings, A. *see* **Taylor, C.M.**
Hearn, R.D. *see* **Frederiksen, M.**
Heikkinen, R.K., Luoto, M., Virkkala, R. & Rainio, K. Effects of habitat cover, landscape structure and spatial variables on the abundance of birds in an agricultural–forest mosaic, 824
Heil, G.W. *see* **Terry, A.C.**
Heitkönig, I.M.A. *see* **Mishra, C.**
den Herder, M., Virtanen, R. & Roininen, H. Effects of reindeer browsing on tundra willow and its associated insect herbivores, 870
Hermy, M. *see* **Brys, R.**
Hester, A.J. *see* **Gordon, I.J.**
Hey, R.D. *see* **Harrison, S.S.C.**

© 2004 British Ecological Society,

Higgs, T. *see* **Hampton, J.O.**
Higuchi, H. *see* **Amano, T.**
Hildrew, A.G. *see* **Harrison, S.S.C.**
Hildrew, A.G. *see* **Petersen, I.**
Hill, I.F. *see* **Peach, W.J.**
Hill, J. *see* **Gibson, L.A.**
Hirzel, A.H., Posse, B., Oggier, P.-A., Crettenand, Y., Glenz, C. & Arlettaz, R. Ecological requirements of reintroduced species and the implications for release policy: the case of the bearded vulture, 1103
Holl, K.D. & Crone, E.E. Applicability of landscape and island biogeography theory to restoration of riparian understorey plants, 922
Hone, J. *see* **Caley, P.**
Hughes, R.G. *see* **Paramor, O.A.L.**
Hüppop, O. *see* **Garthe, S.**

Impey, A. *see* **Peach, W.J.**

Jacquemyn, H. *see* **Brys, R.**
Järvi, T. *see* **Dannewitz, J.**
Jennings, N.V. *see* **Smith, R.K.**
Jetz, W. *see* **McPherson, J.M.**
Johnson, C.J. & Gillingham, M.P. Mapping uncertainty: sensitivity of wildlife habitat ratings to expert opinion, 1032

Kaiser, M.J. *see* **Beadman, H.A.**
Kaiser, M.J. *see* **Blyth, R.E.**
Kerby, G. *see* **Rushton, S.P.**
Ketner, P. *see* **Mishra, C.**
Klaue, B. *see* **Kennedy, B.P.**
Koch, J.M. *see* **Krauss, S.L.**
Kramer-Schadt, S., Revilla, E., Wiegand, T. & Breitenmoser, U. Fragmented landscapes, road mortality and patch connectivity: modelling influences on the dispersal of Eurasian lynx, 711

Laiolo, P., Dondero, F., Ciliento, E. & Rolando, A. Consequences of pastoral abandonment for the structure and diversity of the alpine avifauna, 294
Lambie, D. *see* **Summers, R.W.**
Lamers, L.P.M. *see* **Tomassen, H.B.M.**
Lauenroth, W.K. *see* **Adler, P.B.**
Leafe, R.N. *see* **Morris, R.K.A.**
Leishman, M.R. *see* **Vesk, P.A.**
Lele, S.R. *see* **Frair, J.L.**
Limpens, J. *see* **Tomassen, H.B.M.**
Lindenmayer, D.B. *see* **Fischer, J.**
Lindenmayer, D.B. *see* **Pharo, E.J.**
Lipcius, R.N. *see* **Gascoigne, J.C.**
Löf, A.-C. *see* **Dannewitz, J.**
Lonsdale, M. *see* **Buckley, Y.M.**
Luoto, M. *see* **Heikkinen, R.K.**

de Maeyer, K. *see* **Bakker, E.S.**
Madhusudan, M.D. Recovery of wild large herbivores following livestock decline in a tropical Indian wildlife reserve, 858
Mallord, J. *see* **Peach, W.J.**
Malo, J.E., Suárez, F. & Díez, A. Can we mitigate animal–vehicle accidents using predictive models? 701
Marchesi, L. *see* **Sergio, F.**
Marrs, R.H., Phillips, J.D.P., Todd, P.A., Ghorbani, J. & le Duc, M.G. Control of *Molinia caerulea* on upland moors, 398
Mason, D.C. *see* **Elliott, L.J.**
Masters, Z. *see* **Petersen, I.**
Matsuda, H. *see* **Morita, K.**
Matthiopoulos, J., McConnell, B., Duck, C. & Fedak, M. Using satellite telemetry and aerial counts to estimate space use by grey seals around the British Isles, 476
Mayot, P. *see* **Bro, E.**
McConnell, B. *see* **Matthiopoulos, J.**
McDonald, W. & St Clair, C.C. Elements that promote highway crossing structure use by small mammals in Banff National Park, 82
McNaughton, S.J. *see* **Augustine, D.J.**
McPherson, J.M., Jetz, W. & Rogers, D.J. The effects of species' range sizes on the accuracy of distribution models: ecological phenomenon or statistical artefact? 811
Merrill, E.H. *see* **Frair, J.L.**
Milchunas, D.G. *see* **Adler, P.B.**
Miller, S.E. *see* **Basset, Y.**
Mills, N.J. *see* **Pedersen, B.S.**
Mishra, C., van Wieren, S.E., Ketner, P., Heitkönig, I.M.A. & Prins, H.H.T. Competition between domestic livestock and wild bharal *Pseudois nayaur* in the Indian Trans-Himalaya, 344
Missa, O. *see* **Basset, Y.**
Mitchell, C. *see* **Frederiksen, M.**
Moilanen, A. *see* **Cabeza, M.**
Monaghan, P. *see* **Beale, C.M.**
Moncrieff, R. *see* **Summers, R.W.**
Morita, K., Tsuboi, J.-I. & Matsuda, H. The impact of exotic trout on native charr in a Japanese stream, 962
Morrissey, C.A., Bendell-Young, L.I. & Elliott, J.E. Linking contaminant profiles to the diet and breeding location of American dippers using stable isotopes, 502
Moss, R. *see* **Baines, D.**
Moss, R. *see* **Summers, R.W.**
Muller, C.P. *see* **Frantz, A.C.**
Munro, R.H.M. *see* **Frair, J.L.**

Newton, I. *see* **Green, R.E.**
Nickrent, D.L. *see* **Gustafson, D.J.**
Nielsen, S.E. *see* **Frair, J.L.**
Norris, C. *see* **Elliott, L.J.**
Norris, K. *see* **Jeganathan, P.**
Novotny, V. *see* **Basset, Y.**

Oggier, P.-A. *see* **Hirzel, A.H.**
Olff, H. *see* **Bakker, E.S.**
Ormerod, S.J. *see* **Petersen, I.**
Ormerod, S.J. *see* **Rushton, S.P.**
Osborne, J.L. *see* **Cresswell, J.E.**

© 2004 British Ecological Society,

Pain, D. *see* **Jeganathan, P.**
Pain, D.J. *see* **Green, R.E.**
Paramor, O.A.L. & Hughes, R.G. The effects of bioturbation and herbivory by the polychaete *Nereis diversicolor* on loss of saltmarsh in south-east England, 449
Paramor, O.A.L. *see* **Hughes, R.G.**
Parris, K.M. *see* **McCarthy, M.A.**
Paynter, Q. *see* **Buckley, Y.M.**
Peach, W.J., Denny, M., Cotton, P.A., Hill, I.F., Gruar, D., Barritt, D., Impey, A. & Mallord, J. Habitat selection by song thrushes in stable and declining farmland populations, 275
Pedersen, B.S. & Mills, N.J. Single vs. multiple introduction in biological control: the roles of parasitoid efficiency, antagonism and niche overlap, 973
Pedrini, P. *see* **Sergio, F.**
Penteriani, V. *see* **Sergio, F.**
Perry, L.G., Galatowitsch, S.M. & Rosen, C.J. Competitive control of invasive vegetation: a native wetland sedge suppresses *Phalaris arundinacea* in carbon-enriched soil, 151
Petersen, I., Masters, Z., Hildrew, A.G. & Ormerod, S.J. Dispersal of adult aquatic insects in catchments of differing land use, 934
Petersson, E. *see* **Dannewitz, J.**
Pharo, E.J., Lindenmayer, D.B. & Taws, N. The effects of large-scale fragmentation on bryophytes in temperate forests, 910
Phillips, J.D.P. *see* **Marrs, R.H.**
Phillips, R.A. *see* **Votier, S.C.**
Pluske, J. *see* **Hampton, J.O.**
Pope, L.C. *see* **Frantz, A.C.**
Posse, B. *see* **Hirzel, A.H.**
Power, S.A. *see* **Terry, A.C.**
Prakash, V. *see* **Green, R.E.**
Prestegaard, T. *see* **Dannewitz, J.**
Pretty, J.L. *see* **Harrison, S.S.C.**
Prins, H.H.T. *see* **Mishra, C.**
Proctor, R. *see* **Summers, R.W.**
Pywell, R.F., Bullock, J.M., Walker, K.J., Coulson, S.J., Gregory, S.J. & Stevenson, M.J. Facilitating grassland diversification using the hemiparasitic plant *Rhinanthus minor*, 880

Rahmani, A.R. *see* **Jeganathan, P.**
Rainio, K. *see* **Heikkinen, R.K.**
Ratcliffe, N. *see* **Votier, S.C.**
Reach, I.S. *see* **Morris, R.K.A.**
Rechsteiner, L. *see* **Engler, R.**
Redpath, S. *see* **Amar, A.**
Rees, M. *see* **Buckley, Y.M.**
Reitz, F. *see* **Bro, E.**
Revilla, E. *see* **Kramer-Schadt, S.**
Rickey, M.A. & Anderson, R.C. Effects of nitrogen addition on the invasive grass *Phragmites australis* and a native competitor *Spartina pectinata*, 888
Robertson, B.C. & Gemmell, N.J. Defining eradication units to control invasive pests, 1042
Robertson, H.G. *see* **Parr, C.L.**
Robinson, A. *see* **Smith, R.K.**
Rodríguez, A. *see* **Barrios, L.**
Roelofs, J.G.M. *see* **Tomassen, H.B.M.**
Rogers, D.J. *see* **McPherson, J.M.**
Rogers, W.E. & Siemann, E. Invasive ecotypes tolerate herbivory more effectively than native ecotypes of the Chinese tallow tree *Sapium sebiferum*, 561
Roininen, H. *see* **den Herder, M.**
Rolando, A. *see* **Laiolo, P.**
Roper, T.J. see **Frantz, A.C.**
Rosen, C.J. *see* **Perry, L.G.**
Rothery, P. *see* **Frederiksen, M.**
Rowland, S.J. *see* **Crowe, T.P.**

Saguez, R. *see* **Decocq, G.**
Sala, O.E. *see* **Adler, P.B.**
Sales, J. *see* **Campbell, D.**
Schaul, M. *see* **Frantz, A.C.**
Schley, L. *see* **Frantz, A.C.**
Seip, D.R. *see* **Johnson, C.J.**
Sergio, F., Marchesi, L., Pedrini, P., Ferrer, M. & Penteriani, V. Electrocution alters the distribution and density of a top predator, the eagle owl *Bubo bubo*, 836
Shepherd, D. *see* **Harrison, S.S.C.**
Shucksmith, R. *see* **Beadman, H.A.**
Shultz, S. *see* **Green, R.E.**
Siemann, E. *see* **Rogers, W.E.**
Sigfússon, A. *see* **Frederiksen, M.**
Simenstad, C.A. *see* **Lubetkin, S.C.**
Simpson, G.L. *see* **Bennion, H.**
Smit, R. *see* **Bakker, E.S.**
Smith, C. *see* **Harrison, S.S.C.**
Smith, E.L. *see* **Crowe, T.P.**
Smith, G.C. *see* **Wilkinson, D.**
Smith, R.K., Jennings, N.V., Robinson, A. & Harris, S. Conservation of European hares *Lepus europaeus* in Britain: is increasing habitat heterogeneity in farmland the answer? 1092
Smolders, A.J.P. *see* **Tomassen, H.B.M.**
Spencer, P.B.S. *see* **Hampton, J.O.**
St Clair, C.C. *see* **McDonald, W.**
Stenhouse, G.B. *see* **Frair, J.L.**
Stevenson, M.J. *see* **Pywell, R.F.**
Stewart, A.J.A. *see* **Basset, Y.**
Suárez, F. *see* **Malo, J.E.**
Summers, R.W., Green, R.E., Proctor, R., Dugan, D., Lambie, D., MoNcrieff, R., Moss, R. & Baines, D. An experimental study of the effects of predation on the breeding productivity of capercaillie and black grouse, 513
Swann, R.L. *see* **Frederiksen, M.**
Swanson, G.M. *see* **Campbell, D.**

Taws, N. *see* **Pharo, E.J.**
Taylor, C.M. & Hastings, A. Finding optimal control strategies for invasive species: a density-structured model for *Spartina alterniflora*, 1049
Terry, A.C., Ashmore, M.R., Power, S.A., Allchin, E.A. & Heil, G.W. Modelling the impacts of atmospheric

© 2004 British Ecological Society,

nitrogen deposition on *Calluna*-dominated ecosystems in the UK, 897
Thirgood, S. *see* **Amar, A.**
Thomas, C.D. *see* **Cabeza, M.**
Thorbek, P. & Bilde, T. Reduced numbers of generalist arthropod predators after crop management, 526
Todd, P.A. *see* **Marrs, R.H.**
Tomassen, H.B.M., Smolders, A.J.P., Limpens, J., Lamers, L.P.M. & Roelofs, J.G.M. Expansion of invasive species on ombrotrophic bogs: desiccation or high N deposition? 139
Townley, S. *see* **Hodgson, D.J.**
Tsuboi, J.-I. *see* **Morita, K.**
Twigg, L.E. *see* **Hampton, J.O.**

Ushiyama, K. *see* **Amano, T.**

Vandenberghe, C. *see* **Bakker, E.S.**
Vera, F.W.M. *see* **Bakker, E.S.**
Vesk, P.A., Leishman, M.R. & Westoby, M. Simple traits do not predict grazing response in Australian dry shrublands and woodlands, 22
Virkkala, R. *see* **Heikkinen, R.K.**
Virtanen, R. *see* **den Herder, M.**
Vogiatzakis, I.N. *see* **Jeganathan, P.**
Votier, S.C., Bearhop, S., Ratcliffe, N., Phillips, R.A. & Furness, R.W. Predation by great skuas at a large Shetland seabird colony, 1117

Walker, K.J. *see* **Pywell, R.F.**
Wanless, S. *see* **Frederiksen, M.**
Wattez-Franger, A. *see* **Decocq, G.**
Weiblen, G.D. *see* **Basset, Y.**
Welters, R. *see* **Elliott, L.J.**
Westoby, M. *see* **Vesk, P.A.**
Wiegand, T. *see* **Kramer-Schadt, S.**
van Wieren, S.E. *see* **Mishra, C.**
Wilkinson, M.J. *see* **Elliott, L.J.**
Wilkinson, D., Smith, G.C., Delahay, R.J. & Cheeseman, C.L. A model of bovine tuberculosis in the badger *Meles meles*: an evaluation of different vaccination strategies, 492
Willows, R.I. *see* **Beadman, H.A.**
Wilson, B.A. *see* **Gibson, L.A.**
Wilson, L.J. *see* **Frederiksen, M.**
Wilson, R.J. *see* **Cabeza, M.**
Wilson, S.D. *see* **Bakker, J.D.**
Woolnough, A.P. *see* **Hampton, J.O.**
Wotton, S.R. *see* **Jeganathan, P.**

FORUM PAPERS

Basset, Y., Novotny, V., Miller, S.E., Weiblen, G.D., Missa, O. & Stewart, A.J.A. Conservation and biological monitoring of tropical forests: the role of parataxonomists, 163
Fox, A.D. Has Danish agriculture maintained farmland bird populations? 427
Gascoigne, J.C. & Lipcius, R.N. Allee effects driven by predation, 801
Goldstein, P.Z. Systematic collection data in North American invertebrate conservation and monitoring programmes, 175
Hughes, R.G. & Paramor, O.A.L. On the loss of saltmarshes in south-east England and methods for their restoration, 440
Janzen, D.H. Setting up tropical biodiversity for conservation through non-damaging use: participation by parataxonomists, 181
Morris, R.K.A., Reach, I.S., Duffy, M.J., Collins, T.S. & Leafe, R.N. On the loss of saltmarshes in south-east England and the relationship with *Nereis diversicolor*, 787

© 2004 British Ecological Society,

Journal of

Applied Ecology